



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

He presents slight thickening of integument of ears, forehead, hands, and feet, with areas of anæsthesia and ulceration of toes. Nasal secretion, with some hemorrhage, is increased. A small number of lepra bacilli have been found in smears from the nasal secretion.

The patient was transferred at once to the county hospital, where he has been isolated.

Report from Seattle, Wash.—Plague-prevention work.

Passed Assistant Surgeon Glover reports, June 14:

SEATTLE, WASH.

Date of finding of last plague rat, September 26, 1908.

Week ended June 12, 1909.

Rats received.....	675
Rats necropsied.....	483
Plague rats found.....	0
Plague-infected rats to date.....	21

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—UNTABULATED.

CALIFORNIA—*City and county of San Francisco*.—Month of April, 1909. Estimated population, 475,000. Total number of deaths, 513, including measles 1, whooping cough 5, diphtheria 8, and 77 from tuberculosis. Cases: Diphtheria 69, scarlet fever 51, smallpox 1, measles 204, whooping cough 50, enteric fever 11, and tuberculosis 157.

Stockton.—Month of May, 1909. Estimated population, 25,000. Total number of deaths, 16, including 1 from tuberculosis. Cases: Diphtheria 1, and tuberculosis 1.

CONNECTICUT—*Bridgeport*.—Month of May, 1909. Estimated population, 100,000. Total number of deaths, 109, including scarlet fever 2, and 17 from tuberculosis. Cases: Diphtheria 16, enteric fever 1, scarlet fever 19, measles 47, and pulmonary tuberculosis 8.

FLORIDA.—Cases of communicable diseases diagnosed at the laboratory of the state board of health for the week ended June 19, 1909, are as follows: *Malaria*.—Tampa 13; Jacksonville 9; Crescent City, Lake Butler, Ocala, Tallahassee, and Ybor City, each 2 cases; Gainesville, Bayard; Palmetto, Plant City, and Quincy, each 1 case. *Scarlet fever*.—Lakeland 1. *Tuberculosis*.—Tampa 8; Arcadia, Sanford, Freeport, Gainesville, Jacksonville, and Manatee, each 1 case. *Enteric fever*.—Jacksonville, Ocala, and Tampa, each 2 cases; Key West, Palmetto, Plant City, Quincy, River Junction, and Ybor City, each 1 case.

ILLINOIS—*Peoria*.—Month of May, 1909. Estimated population, 80,000. Total number of deaths, 61, including enteric fever 1, and 2 from tuberculosis. Cases: Smallpox 44, scarlet fever 7, and diphtheria 4.